L Number	Hits	Search Text	DB	Time stamp
1	0	(net same (identif\$3 or select\$3 or determin\$3 or verif\$3 or	USPAT;	2004/02/20 08:05
		recogniz\$3 or distinguish\$3) same (user or designer or	US-PGPUB;	
		operator)) and (align\$3 near3 cell) and @pd>=20031017	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
2	7	(net same (identif\$3 or select\$3 or determin\$3 or verif\$3 or	USPAT;	2004/02/20 08:05
		recogniz\$3 or distinguish\$3) same (user or designer or	US-PGPUB;	
		operator)) and 716/\$.ccls. and align\$3 and @pd>=20031017	EPO; JPO;	
			DERWENT;	
_	-	((ant and call) arms (identife) as calcute) as determine) or	IBM_TDB USPAT;	2004/02/20 08:07
3	5	((net and cell) same (identif\$3 or select\$3 or determin\$3 or verif\$3 or recogniz\$3 or distinguish\$3) same (user or designer	US-PGPUB;	2004/02/20 00:07
		or operator)) and 716/\$.ccls. and align\$3 and	EPO; JPO;	
		@pd>=20031017	DERWENT;	
		@pa==20051017	IBM TDB	
_	2	((plac\$3 or placement) near3 tool) same (((select\$3 or	USPAT;	2003/04/24 12:22
	-	determin\$3 or identif\$3) and align\$3) near3 cell)	US-PGPUB;	1
		action, may be successful and amgree and action, making a successful and a	EPO; JPO;	·
			DERWENT;	
			IBM_TDB	
-	5	((plac\$3 or placement) near3 tool) same (((select\$3 or	USPAT;	2003/04/25 12:25
		determin\$3 or identif\$3) and (align\$3 or arrang\$3 or (lin\$3	US-PGPUB;	
		adj1 up))) near3 cell)	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
-	0	((plac\$3 or placement) near3 tool) same (((select\$3 or	USPAT;	2003/04/25 12:22
		determin\$3 or identif\$3) and (align\$3 or arrang\$3 or (lin\$3	US-PGPUB;	
		adj1 up))) near3 cell) and (HDL near3 tree)	EPO; JPO;	,
			DERWENT; IBM_TDB	
_	109	((plac\$3 or placement) near3 tool) same database	USPAT;	2003/04/25 12:22
-	103	((places of placement) fleats tool) same database	US-PGPUB;	2000/04/20 12.22
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	23	(((plac\$3 or placement) near3 tool) same database) and HDL	USPAT;	2003/04/25 12:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	· ·
			IBM_TDB	
-	216677	(((plac\$3 or placement) near3 tool) same database) and	USPAT;	2003/04/25 12:24
		celland net	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	34	(((plac\$3 or placement) near3 tool) same database) and cell	IBM_TDB USPAT;	2003/04/25 12:25
-	34	and net	US-PGPUB;	2003/04/23 12.23
		and not	EPO; JPO;	
			DERWENT;	
i			IBM_TDB	;
_	19	(((plac\$3 or placement) near3 tool) same database) and cell	USPAT;	2003/04/28 07:51
		and net and ((select\$3 or determin\$3 or identif\$3) near3 cell)	US-PGPUB;	
I			EPO; JPO;	
			DERWENT,	
			DERVICINI,	
			IBM_TDB	
-	1	(((plac\$3 or placement) near3 tool) same database) and cell	IBM_TDB USPAT;	2003/04/28 07:56
-	1	and net and ((select\$3 or determin\$3 or identif\$3) near3 cell)	IBM_TDB USPAT; US-PGPUB;	2003/04/28 07:56
-	1		IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/04/28 07:56
-	1	and net and ((select\$3 or determin\$3 or identif\$3) near3 cell)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/28 07:56
-		and net and ((select\$3 or determin\$3 or identif\$3) near3 cell) and (source near3 leaf near3 cell)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	
-	1	and net and ((select\$3 or determin\$3 or identif\$3) near3 cell) and (source near3 leaf near3 cell) (((plac\$3 or placement) near3 tool) same database) and cell	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	2003/04/28 07:56
-		and net and ((select\$3 or determin\$3 or identif\$3) near3 cell) and (source near3 leaf near3 cell) (((plac\$3 or placement) near3 tool) same database) and cell and net and ((select\$3 or determin\$3 or identif\$3) near3 cell)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB;	
-		and net and ((select\$3 or determin\$3 or identif\$3) near3 cell) and (source near3 leaf near3 cell) (((plac\$3 or placement) near3 tool) same database) and cell	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT;	

-	12	(((plac\$3 or placement) near3 tool) same database) and (cell	USPAT;	2003/04/28 08:23
		near3 (align\$3 or arrang\$3 or lin\$3))	US-PGPUB;	
			EPO; JPO;	
}			DERWENT;	;
			IBM_TDB	
-	391	((plac\$3 or placement) near3 tool) and (cell near3 (align\$3 or	USPAT;	2003/10/10 11:05
		arrang\$3 or lin\$3))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0000104100000
-	20	((plac\$3 or placement) near3 tool) and (cell near3 (align\$3 or	USPAT;	2003/04/28 08:34
		arrang\$3 or lin\$3)) and (leaf near3 cell)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(/-l00	IBM_TDB	2003/04/28 11:52
-	20	((plac\$3 or placement) near3 tool) and (cell near3 (align\$3 or	USPAT; US-PGPUB;	2003/04/26 11.52
		arrang\$3 or lin\$3 or (lin\$3 near3 up))) and (leaf near3 cell)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	1	"08789026"	USPAT;	2003/04/28 09:35
-	'	00703020	US-PGPUB;	2000/04/20 08.00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	08789026.pn.	USPAT;	2003/04/28 09:35
-	"	00700020.pm.	US-PGPUB:	2000/0 1/20 00:00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	5	((plac\$3 or placement) near3 tool) and (cell near3 (align\$3 or	USPAT;	2003/04/28 11:02
		arrang\$3 or lin\$3 or (lin\$3 near3 up))) and (unplaced near3	US-PGPUB;	
		cell)	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	5	((plac\$3 or placement) near3 tool) and (cell near3 (align\$3 or	USPAT;	2003/04/28 11:06
		arrang\$3 or lin\$3 or (lin\$3 near3 up))) and ((unplaced or (non	US-PGPUB;	
!		near3 placed) or nonplaced or (un near3 placed)) near3 cell)	EPO; JPO;	
İ .			DERWENT;	
			IBM_TDB	0000000000000
-	1	cell near3 align\$3 near3 circuit near3 design	USPAT;	2003/04/28 11:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	2	(cell near3 align\$3) near3 (circuit near3 design)	IBM_TDB USPAT;	2003/04/28 11:45
-		(ceii ricaro aligripo) ricaro (circuit ricaro desigri)	US-PGPUB;	2003/04/20 11.43
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	154089	(cell near3 (align\$3 or arrang\$3 or lin\$3 or (lin\$3 near3 up)))	USPAT;	2003/04/28 12:04
	104005	(22	US-PGPUB;	
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
_	826	(cell near3 (align\$3 or arrang\$3 or lin\$3 or (lin\$3 near3 up)))	USPAT;	2003/04/28 11:56
		and 716/\$	US-PGPUB;	
			EPO; JPO;	٠:
			DERWENT;	
			IBM_TDB	
-	5327	("716").CLAS.	USPAT;	2003/04/28 11:57
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	L		IBM_TDB	

-	781	((cell near3 (align\$3 or arrang\$3 or lin\$3 or (lin\$3 near3 up)))) and ((716/\$).CCLS.)	USPAT; US-PGPUB; EPO; JPO;	2003/04/29 07:24
			DERWENT;	
	404	/// to do out to consent and and and and money followers on	IBM_TDB	2002/04/20 11/50
-	101	(((plac\$3 or placement) near3 tool) and (cell near3 (align\$3 or	USPAT; US-PGPUB;	2003/04/28 11:58
		arrang\$3 or lin\$3))) and ((716/\$).CCLS.)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	:
	0	((((plac\$3 or placement) near3 tool) and (cell near3 (align\$3	USPAT:	2003/04/28 11:58
-		or arrang\$3 or lin\$3))) and ((716/\$).CCLS.)) and (citcuit near3	US-PGPUB:	2000/0 //20 11:00
		design)	EPO; JPO;	
		,	DERWENT;	
			IBM_TDB	
-	4526	((cell near3 (align\$3 or arrang\$3 or lin\$3 or (lin\$3 near3 up)))	USPAT;	2003/04/28 12:00
) and (circuit near3 design)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	20250	(cell near3 (source or destination or placed or unplaced)) and	USPAT; US-PGPUB:	2003/04/28 12:06
		filter	EPO; JPO;	
			DERWENT:	
			IBM_TDB	
_	13	(cell near3 (source or destination or placed or unplaced)) and	USPAT;	2003/04/28 14:47
		filter and (placement near3 tool)	US-PGPUB;	
		(F. 2004)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	"5363313".PN.	USPAT;	2003/04/28 13:10
		6700005	US-PGPUB	0000/04/00 44.47
-	2	5706295.pn.	USPAT;	2003/04/28 14:47
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	5712794.pn.	USPAT;	2003/04/28 14:48
	1	1	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	00001041004004
-	17	((cell near3 (align\$3 or arrang\$3 or lin\$3 or (lin\$3 near3 up)))	USPAT;	2003/04/29 13:21
) and ((716/\$).CCLS.) and ((select\$3 or identif\$3 or	US-PGPUB; EPO; JPO;	
		determin43) near3 (net and cell))	DERWENT;	
			IBM_TDB	
-	632	((cell with (align\$3 or arrang\$3 or lin\$3 or (lin\$3 adj1 up)))))	USPAT;	2003/04/29 13:40
		and ((select\$3 or identif\$3 or determin43) with (net and cell))	US-PGPUB;	
		, , , , , , , , , , , , , , , , , , , ,	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	0000/04/00 40:07
-	0	plecement near3 tool	USPAT;	2003/04/29 13:27
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2626	placement near3 tool	USPAT;	2003/04/29 13:28
		·	US-PGPUB;	
1			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	000010410045
-	30	(((cell with (align\$3 or arrang\$3 or lin\$3 or (lin\$3 adj1 up))))	USPAT;	2003/04/29 13:28
		and ((select\$3 or identif\$3 or determin43) with (net and cell)))	US-PGPUB;	
		and (placement near3 tool)	EPO; JPO; DERWENT;	
			IBM_TDB	
L		L		

[-	1	"5764533".PN.	USPAT; US-PGPUB	2003/04/29 13:33
-	1	"5654898".PN.	USPAT; US-PGPUB	2003/04/29 13:35
-	1	"5416718".PN.	USPAT;	2003/04/29 13:36
-	68	(cell with align\$3) and ((select\$3 or identif\$3 or determin43) with (net and cell))	US-PGPUB USPAT; US-PGPUB;	2003/04/29 14:33
-	2	(cell with align\$3) and ((select\$3 or identif\$3 or determin43) with (net and cell)) and (placement adj1 tool)	EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/04/29 13:50
-	38	(cell with align\$3) and ((select\$3 or identif\$3 or determin43) with (net and cell)) and placement	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/10 11:00
-	44	(cell with align\$3) and ((select\$3 or identif\$3 or determin43) with (net and cell)) and (horizontal and vertical)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/30 12:19
-	2	5490268.pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/04/29 15:04
-	2	5491640.pn.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/04/29 15:05
-	2	5493508.pn.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/30 09:02
-	4	(cell with align\$3) and ((select\$3 or identif\$3 or determin43) with (net and cell)) and (horizontal and vertical) and (vector\$3 near3 net)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/30 12:30
-	1	(cell with align\$3) and ((select\$3 or identif\$3 or determin43) with (net and cell)) and (horizontal and vertical) and (vector\$3 near3 net) and context	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/04/30 12:32
-	1	(cell with align\$3) and (((select\$3 or identif\$3 or determin43) with (net and cell)) near3 user) and placement	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/10 11:01
-	26	((plac\$3 or placement) near3 tool) and (cell near3 (align\$3 or arrang\$3 or lin\$3)) and ((user or designer or operator) near3 ((select\$3 or identif\$3 or determin\$3) near3 cell))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/10 11:13
-	4	((plac\$3 or placement) near3 tool) and (cell near3 (align\$3 or arrang\$3 or lin\$3)) and ((user or designer or operator) near3 ((select\$3 or identif\$3 or determin\$3) near3 (net and cell)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/10/10 12:00
	L		IBM_TDB	

				i
-	13	(cell near3 (align\$3 or arrang\$3 or lin\$3)) and ((user or designer or operator) near3 ((select\$3 or identif\$3 or	USPAT; US-PGPUB;	2003/10/10 12:09
		determin\$3) near3 net))	EPO; JPO;	
			DERWENT:	
			IBM_TDB	
_	4	(cell near3 (align\$3 or arrang\$3 or lin\$3)) and ((user or	USPAT;	2003/10/10 12:13
		designer or operator) near3 ((select\$3 or identif\$3 or	US-PGPUB;	
		determin\$3) near3 net)) and (source near3 cell)	EPO; JPO;	
		, , , , , , , , , , , , , , , , , , , ,	DERWENT;	
			IBM_TDB	
-	0	((cell and net) near3 (identif\$3 and select\$3 and align\$4))	USPAT;	2003/10/10 12:15
		near3 (user or designer or operator)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	'		IBM_TDB	
-	15	((cell and net) near3 (identif\$3 or select\$3 or determin\$3))	USPAT;	2003/10/10 12:18
		near3 (user or designer or operator)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2003/10/10 12:18
-	0	((cell and net) near3 (identif\$3 or select\$3 or determin\$3))	USPAT; US-PGPUB;	2003/10/10 12.16
		near3 (user or designer or operator) and (align\$4 near3 sell)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	o	((cell and net) near3 (identif\$3 or select\$3 or determin\$3))	USPAT;	2003/10/10 12:19
-	"	near3 (user or designer or operator) and (align\$4 near3 cell)	US-PGPUB;	2000/10/10 12:10
		Theato (user of designer of operator) and (diignip Theato oci)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	6	((cell and net) near3 (identif\$3 or select\$3 or determin\$3))	USPAT;	2003/11/20 13:19
İ		near3 (user or designer or operator) and align\$4	US-PGPUB;	:
		<u> </u>	EPO; JPO;	·
			DERWENT;	
			IBM_TDB	
-	15	((cell and net) near3 (identif\$3 or select\$3 or determin\$3))	USPAT;	2003/11/20 13:22
		near3 (user or designer or operator)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	2050	not some (identife) or colorte) or determine) or verife) or	IBM_TDB USPAT;	2003/11/20 13:25
-	3858	net same (identif\$3 or select\$3 or determin\$3 or verif\$3 or recogniz\$3 or distinguish\$3) same (user or designer or	US-PGPUB;	2003/11/20 13.25
		operator)	EPO; JPO;	
			DERWENT;	·
			IBM TDB	
_	426	(net same (identif\$3 or select\$3 or determin\$3 or verif\$3 or	USPAT;	2003/11/20 13:25
1		recogniz\$3 or distinguish\$3) same (user or designer or	US-PGPUB;	
		operator)) and 716/\$.ccls.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	156	((net and cell) same (identif\$3 or select\$3 or determin\$3 or	USPAT;	2003/11/20 13:26
]	verif\$3 or recogniz\$3 or distinguish\$3) same (user or designer	US-PGPUB;	
	1	or operator)) and 716/\$.ccls.	EPO; JPO;	
]		DERWENT;	·
	1 40	(/not and sell) some (identification selection as determined as	IBM_TDB	2004/02/20 09:07
-	42	((net and cell) same (identif\$3 or select\$3 or determin\$3 or	USPAT; US-PGPUB;	2004/02/20 08:07
		verif\$3 or recogniz\$3 or distinguish\$3) same (user or designer or operator)) and 716/\$.ccls. and align\$3	EPO; JPO;	
		οι ορεταιοί <i>)) α</i> τια <i>τ</i> το/φ.ccis. ατια αιιχτίφο	DERWENT;	
	1		IBM_TDB	
_	54	(net same (identif\$3 or select\$3 or determin\$3 or verif\$3 or	USPAT;	2004/02/20 08:05
		recogniz\$3 or distinguish\$3) same (user or designer or	US-PGPUB;	
	1	operator)) and 716/\$.ccls. and align\$3	EPO; JPO;	
		, ,,	DERWENT;	
	_ '		IBM_TDB	

-	35	(net same (identif\$3 or select\$3 or determin\$3 or verif\$3 or	USPAT;	2004/02/20 08:03
		recogniz\$3 or distinguish\$3) same (user or designer or	US-PGPUB;	
		operator)) and (align\$3 near3 cell)	EPO; JPO;	1
			DERWENT:	
			IBM TDB	